




1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100




Our Calculation Policy (Simplified)




CONCRETE PICTORIAL ABSTRACT



**CONCRETE
PICTORIAL
ABSTRACT**



Our Calculation Policy (Simplified)




**CONCRETE
PICTORIAL
ABSTRACT**

Become **fluent** in the fundamentals of mathematics, including through varied and frequent practice with increasingly complex problems over time, so that pupils develop conceptual understanding and the ability to recall and apply knowledge rapidly and accurately. In order to achieve this we need to provide opportunities for children to investigate numbers by counting, cardinality (how many there are in the group), comparison and composition. They need to practice decomposing and recomposing numbers, recalling number bonds and multiplication tables to improve mathematical fluency.

Reason mathematically by following a line of enquiry, conjecturing relationships and generalisations, and developing an argument, justification or proof using mathematical language. The conversations we have and questions we ask are key to developing reasoning skills. We can ask children to describe, explain, convince others, justify and prove to promote their reasoning skills. Adults can support children to develop reasoning by modelling, using mathematical language, using sentence stems, group work, Cooperative learning CLIPs, understanding how others work and making personal notes and recordings.

Can **solve problems** by applying their mathematics to a variety of routine and non-routine problems with increasing sophistication, including breaking down problems into a series of simpler steps and persevering in seeking solutions. Activities should be provided where children can solve number problems, practical problems and missing number problems. Problem solving is not just about solving the problem, it is about how they solved the problem. What strategies and mathematical concepts did they use? All pupils should have the opportunity to apply their mathematics to solve problems. The use of mathematical language, modelling and the bar model can all help support children to develop their problem solving skills. Higher attaining children need to solve problems that require more demanding reasoning and problem solving skills rather than harder numbers.


Addition starts by adding objects





Bead string



Number line (Manipulatives and then onto jottings)




Empty number line (jottings)




Addition

For larger numbers we regroup horizontally (Partitioning)





200	+	60	+	3	
+	100	+	10	+	9
<hr/>					
300	+	70	+	12	
<hr/>					
300	+	80	+	2	


Then vertically (Expanded Column Method)




Before we eventually carry (Column Method)




Subtraction starts with taking away objects.





Bead string



Number line (Manipulatives and then onto jottings)




Empty number line (jottings)



Subtraction

Empty number lines that bridge 100



For larger numbers regroup horizontally (Partitioning)

$$\begin{array}{r} 90 \ 8 \\ - 30 \ 5 \\ \hline 60 \ 3 \end{array}$$

	50	13
200	+ 60	+ 3
- 100	+ 10	+ 9
100	+ 40	+ 4

Then vertically until we eventually progress to exchanging (Column method for exchanging)

5	13	1	
5	4	6	7
- 2	6	8	4
3	7	8	3


First, we group objects as a representation




Bead string



Arrays




Number line and onto an empty number line to show as repeated addition (manipulatives and jottings)



Multiplication

Partitioning method



$$\begin{array}{r} 27 \times 5 = \\ 20 \times 5 = 100 \\ 7 \times 5 = 35 \\ \hline 135 \end{array}$$

Grid method

Grid method		
X	30	6
4	120	24

$$\begin{array}{r} 36 \\ \times 4 \\ \hline 24 \text{ (6 x 4)} \\ 120 \text{ (30 x 4)} \\ \hline 144 \end{array}$$

Short multiplication

$$\begin{array}{r} \text{Leading to expanded method} \\ 36 \\ \times 4 \\ \hline 24 \text{ (6 x 4)} \\ 120 \text{ (30 x 4)} \\ \hline 144 \end{array} \quad \longrightarrow \quad \begin{array}{r} 36 \\ \times 4 \\ \hline 144 \\ 2 \end{array}$$

Long multiplication

$$\begin{array}{r} 23 \\ \times 13 \\ \hline + 69 \text{ (3 x 23)} \\ 230 \text{ (10 x 23)} \\ \hline 299 \end{array}$$


Division begins with sharing



Bead string



Sharing using arrays





Number line and onto an empty number line to show as repeated addition and subtraction (manipulatives and jottings)

Example without remainder.

$$40 \div 5$$

Ask "How many 5s in 40?"



BOUDICA SCHOOLS TRUST

Division

Chunking

$$73 \div 5$$

$$\begin{array}{r} 5 \overline{) 73} \\ - 50 \quad (10 \times 5) \\ \hline 23 \\ - 20 \quad (4 \times 5) \\ \hline 3 \end{array}$$

10 + 4 = 14

How many 5s have been subtracted?
14 sets of 5, with 3 left over.

Answer: $73 \div 5 = 14 \text{ r}3$

Short bus stop method for division.

Begin with divisions that divide equally with no remainder.

$$\begin{array}{r} 218 \\ 3 \overline{) 654} \\ \hline 4872 \end{array}$$

Move onto divisions with a remainder.

$$\begin{array}{r} 86 \text{ r} 2 \\ 3 \overline{) 432} \\ \hline 58 \end{array}$$

Finally, onto long division.

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
$\begin{array}{r} \text{to} \\ 2 \\ 2 \overline{) 58} \end{array}$	$\begin{array}{r} \text{to} \\ 2 \\ 2 \overline{) 58} \\ - 4 \\ \hline 1 \end{array}$	$\begin{array}{r} \text{to} \\ 29 \\ 2 \overline{) 58} \\ - 4 \downarrow \\ \hline 18 \end{array}$
Two goes into 5 two times, or 5 tens + 2 = 2 whole tens -- but there is a remainder!	To find it, multiply $2 \times 2 = 4$, write that 4 under the five, and subtract to find the remainder of 1 ten.	Next, drop down the 8 of the ones next to the leftover 1 ten. You combine the remainder ten with 8 ones, and get 18.